Lounty of Galatin (ss.

9:25 January CLISS & RECORDER

By Sida J. Morrore

Fee \$ 2.00 Pd.

SFLNE 14 Sec. A TZS REE Indicate location of well and place of use, if possible. Each small square represents 40 acres.

of casing.

...(Continue on reverse side) USE-If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addi-

Show exact depth of bottom.

LITTUT NO. 1

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be

Driller's License Number Driller's Signature.

44,503

State of Montana County of Gallatin Ss. 22 , 1068 o'clock M. Carl L. Stucky
County Clark & Recorder

_	

File	No

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

U- JAN 16 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

(Name of Appropriator) County of Collectin ave appropriated groundwater accordin N	(Address) (Town) State of Montana g to the Montana laws in effect prior to January 1, 1962, as follows: 2. The beneficial use on which the claim is based household, garden, shrubs, lam, and other grasses. 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous since July 1949
ave appropriated groundwater accordin	2. The beneficial use on which the claim is basedhousehold,
60	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
60	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
	ous the use has been
E	Continuous since July 1949
E	
	4. The amount of groundwater claimed (in miner's inches or gallor
	per minute)15 gallens per minute
	5. If used for irrigation, give the acreage and description of the land
S	to which water has been applied and name of the owner thereo
- 10 25 15	2.44 acres, described as Tract 13 of Longacres
1/4 Sec. /9 T.25 R.C. E	suburb of Bosessen.
licate point of appropriation	
I place of use, if possible. Each all square represents 10 acres.	6. The means of withdrawing such water from the ground and the loc
	tion of each well or other means of withdrawal
	Pump from well located immediately south of
The depth of water table	25 feet
	Drilled well, 45 feet deep with 6 inch ossing,
m	and the same of th
The estimated amount of groundwater	withdrawn each year 750,000 gallons
	he drilling of each well if available. Not available.
The log of formations encountered in t	
The log of formations encountered in t	
The log of formations encountered in t	
The log of formations encountered in t	
Such other information of a similar na reference to book and page of any cour	ity record
Such other information of a similar nareference to book and page of any cour	ature as may be useful in carrying out the policy of this act, including record.
Such other information of a similar nareference to book and page of any cour	ity record
Such other information of a similar nareference to book and page of any cour	ity record
Such other information of a similar nareference to book and page of any cour	ity record

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 33412

12 - 3 cs 263

11 11.19 4 V.

- Count Halles

By For

`.

File No....

T 25 R 6 E

DUPLICATE

County Callatin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CCDE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights 15 SNG!NE

(Under Chapter 237, Montana Session Laws, 1261)

	Name of	Appropri	ator)	State of Floring (Address) (Town)
Lounty of have approp	priated gro	oundwater	according	State of Flontona g to the Montana laws in effect prior to January 1, 1962, as follo
	N			
	- į ;] 2	The beneficial use on which the claim is based.
ļ				
	**		3.	Date or approximate date of earliest beneficial use; and how of
		: :		tinuous the use has been A : 1962
		;	E	
			4.	. The amount of groundwater claimed (in miner's inches or gall
		-	-	per minute) 30CF-
]	
			5.	If used for irrigation, give the acreage and description of the la
-,,	\$		_	to which water has been applied and name of the owner ther
VE 17 a. 16	9 716	D L E		Lucian augen
KE 1/4 Sec. Sec. Sec. Sec. Sec. Sec. Sec. Sec.				
and place of	use, if p	ossible.	c	The many of mishdraming and make from the court of
Each small squa	ira represe	ents 10	3,	The means of withdrawing such water from the ground and location of each well or other means of withdrawal
				head purp to Duple

drawal of gr	roundwate	r	محتمد محدثهم.	July 3+, 1962
drawal of gr	roundwate	Com,	a parparig	July 3+, 1962
drawal of gr	roundwate	cable44		July 3+, 1962
8. The depth of	roundwate of water t may be a	table4	he type, s	Size and depth of each well or the general specifications of any or
8. The depth of 9. So far as it works for the	roundwate of water t may be a	table table	he type, s	size and depth of each well or the general specifications of any or
8. The depth of 9. So far as it works for the	roundwate of water t may be a	table table	he type, s	size and depth of each well or the general specifications of any or
8. The depth of 9. So far as it works for the	roundwate of water t may be a	table table	he type, s	size and depth of each well or the general specifications of any
8. The depth of 9. So far as it works for the works for the state of t	roundwater to may be a he withdra	table	he type, soundwater	Size and depth of each well or the general specifications of any of
8. The depth of 9. So far as it works for the works for the state of t	roundwater to may be a he withdra	table	he type, soundwater	size and depth of each well or the general specifications of any or
8. The depth of 9. So far as it works for the stimate 10. The estimate	may be a he withdra	table ivailable, to wail of grounds of grounds encounter	he type, soundwater with the dwater with the d	size and depth of each well or the general specifications of any of the second specifications of the second specifications of the second specifications of the second specifications of the second specification specifications of the second specification specification specifications of the second specification specification specifications of the second specification specif
8. The depth of 9. So far as it works for the sestimate 11. The log of f	may be a he withdra	table ivailable, to wail of grounds of grounds encounter	he type, soundwater with the dwater with the d	size and depth of each well or the general specifications of any of the second specifications of the second specification specifications of the second specification specification specifications of the second specification specif
8. The depth of 9. So far as it works for the stimate 10. The estimate	may be a he withdra	table ivailable, to wail of grounds of grounds encounter	he type, soundwater with the dwater with the d	size and depth of each well or the general specifications of any of the second specifications of the second specification specifications of the second specification specification specifications of the second specification specif
8. The depth of 9. So far as it works for the stimate 11. The log of factors of the stimate 12.	may be a he withdra	table 4 ivailable, to ivailabl	he type, soundwater wired in the	size and depth of each well or the general specifications of any or 52 /2 fr deep Casing Surface as 52 /2 Sizely. ithdrawn each year Damestoc as a for Damestoc are drilling of each well if available. **Glaught Standard Clause 19 for 29 sandy clause 19 for 19 for 29 sandy clause 19 for 29 sandy c
8. The depth of 9. So far as it works for the stimate 11. The log of factor of the stimate 12. Such other it reference to	may be a he withdra ded amount formations information book and	table ivailable, to wail of ground of ground of a simple page of an area of a	he type, soundwater with the type, so the ty	size and depth of each well or the general specifications of any or 52 /2 to deep Casing Juntace at 52 /2 Stack. ithdrawn each year Damester and for Damester and drilling of each well if available. the drilling of each well if available. the class of the case of the class of this act, include record.
8. The depth of 9. So far as it works for the stimate 11. The log of far as 12. Such other in reference to	may be a he withdra to a decided amount formations information book and	table simpage of ar	he type, soundwater with the dwater with the diameter with the dia	size and depth of each well or the general specifications of any or 52 1/2 to deep Casing Juniface as 52 1/2 Black. ithdrawn each year Damestoc as a for Daylor and editling of each well if available. editling of each well if available. 19 to 19 5 and 19 sand
8. The depth of 9. So far as it works for the stimate 11. The log of far as 12. Such other in reference to	may be a he withdra to a decided amount formations information book and	table simpage of ar	he type, soundwater with the dwater with the diameter with the dia	ithdrawn each year Damestoc and for Daylor drilling of each well if available - Grand Clay - Grand - 19 to 19 5 and clay e as may be useful in carrying out the policy of this act, included record. - 12 12 13 14 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
8. The depth of 9. So far as it works for the stimate 11. The log of far as 12. Such other in reference to	may be a he withdra to a decided amount formations information book and	table simpage of ar	he type, soundwater with the dwater with the diameter with the dia	size and depth of each well or the general specifications of any or 59 /2 for deep Casing Surface as 52 /2 814ch. ithdrawn each year Damestic as for Dupler edrilling of each well if available. The standard of this act, include record. e as may be useful in carrying out the policy of this act, include record. The standard of the
8. The depth of 9. So far as it works for the stimate 11. The log of far as 12. Such other in reference to	may be a he withdra to a decided amount formations information book and	table simpage of ar	he type, soundwater with the dwater with the diameter with the dia	size and depth of each well or the general specifications of any or 52 /2 for deep Casing Surface on 52 /2 Sizely. ithdrawn each year Dannest or size for Danley's drilling of each well if available. e drilling of each well if available. 19 for
8. The depth of 9. So far as it works for the two states of the tw	may be a he withdra ded amount formations book and	table simpage of ar	he type, soundwater with the state of the st	size and depth of each well or the general specifications of any of the second specifications of the second spe

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 12051

State of Michigan SS.
Country of Gallatin | December 27,
Filed 11:40 A.1963

Charter BARL WALTON COUNTY CHERY & PT. PLES.

Sela J. Marrow

2.00 Pd. PEFLEY Fee \$____

-
C)

C1: 1	No
C T	110

.cotoved	Stock	Form-State	Publishing	Co.,	Heiena.	Montana-42234

TABREE

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

JAN 15 ISRA

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

	of Rt. 2	SOZEMEN.
(Name of Appropriator)	(Address)	(Town)
County of Gallatin	State of Kontana	
ave appropriated groundwater accordi	ing to the Montana laws in effect prior to	January 1, 1962, as follows:
N		
	2. The beneficial use on which the claim is	based
	On a well used for house and i	rrigation
		7 3
	3. Date or approximate date of earliest b	
	ous the use has been 1956 and that time	
E		
0 0		
2 0 19	4. The amount of groundwater claimed	· ·
×°× X	per minute)	
7-1-0	1500 gallons per hour	***************************************
well N	5. If used for irrigation, give the acreag	e and description of the lands
s	to which water has been applied an	d name of the owner thereof
E4 Sec. 19 T 25 R 6 E	one half acre yeard, ger	
•		
dicate point of appropriation d place of use, if possible. Each	***************************************	
all square represents 10 acres.	6. The means of withdrawing such water	from the ground and the loca-
	tion of each well or other means of with	idrawal

	pletion of the construction of the well, we	lls. or other works for with-
drawal of groundwater. July	pletion of the construction of the well, we	lls, or other works for with-
drawal of groundwater. July	pletion of the construction of the well, we	lls, or other works for with-
The depth of water table	rpletion of the construction of the well, we 1956 Leet Type, size and depth of each well or the gene	lls, or other works for with-
The depth of water table	pletion of the construction of the well, we 1956 Leet The property of each well or the generator for the generator of the well, at feet deep,	ral specifications of any other
The depth of water table	pletion of the construction of the well, we 1956 Leet The property of each well or the generator for the generator of the well, at feet deep,	lls, or other works for with-
The depth of water table	pletion of the construction of the well, we 1956 Leet The property of each well or the generator for the generator of the well, at feet deep,	lls, or other works for with-
drawal of groundwater. July The depth of water table	pletion of the construction of the well, we 1956 Leet The property of each well or the generator for the generator of the well, at feet deep,	lls, or other works for with-
drawal of groundwater. July The depth of water table	pletion of the construction of the well, we 1956 Leet The property of each well or the generator for the generator of the well, all feet deep.	lls, or other works for with-
drawal of groundwater. July The depth of water table	pletion of the construction of the well, we 1956 Leet The property of each well or the generator for the generator of the well, at feet deep,	lls, or other works for with-
drawal of groundwater. The depth of water table. So far as it may be available, the ty works for the withdrawal of groundwater. The estimated amount of groundwater.	pletion of the construction of the well, we 1956 Leet The property of each well or the generator for the generator of the well, all feet deep.	lls. or other works for with- ral specifications of any other electric pump
drawal of groundwater. The depth of water table. So far as it may be available, the ty works for the withdrawal of groundwater. The estimated amount of groundwater.	r withdrawn each year.	lls. or other works for with- ral specifications of any other electric pump
drawal of groundwater. The depth of water table. So far as it may be available, the ty works for the withdrawal of groundwater. The estimated amount of groundwater.	r withdrawn each year.	lls. or other works for with- ral specifications of any other electric pump
drawal of groundwater. The depth of water table. So far as it may be available, the ty works for the withdrawal of groundwater. The estimated amount of groundwater.	r withdrawn each year.	lls, or other works for witheral specifications of any other
drawal of groundwater. The depth of water table	r withdrawn each year.	lls, or other works for wither al specifications of any other cleatric pump
drawal of groundwater. The depth of water table	repletion of the construction of the well, we 1956 feet Type, size and depth of each well or the generator for inch well, all feet deep; the drilling of each well if available. The drilling of each well if available.	lls, or other works for with- eral specifications of any other electric pap
drawal of groundwater. The depth of water table	repletion of the construction of the well, we 1956 feet rpe, size and depth of each well or the generator fe inch well, all feet deep; r withdrawn each year	lls, or other works for witheral specifications of any other electric pap
drawal of groundwater. The depth of water table	repletion of the construction of the well, we 1956 feet rpe, size and depth of each well or the generator fe inch well, all feet deep; r withdrawn each year	lls, or other works for with- eral specifications of any other electric purp

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

State of Montana (County of Gallatin Ss.

Filad 1933

at 1933

at 1933

at 1933

COUNT SERN & RECORDER

By DEFINE

/

DRILLER'S LOG

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

Indicate the character, color, thick-

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

Bozeman, Montara LICENSE NO. 17

(Under (Chapter 23	7 Montana	Session	laws, 1961	, as amend	ed)	Top of	Ground	Elev. above	sea level)	
by the ow	ner with th	he County	Clerk and	d Recorder	pies to be in the cour	filed nty in	From (Feet)	To (Feet)			
which the	well is loc	ated, last	copy to b	pe retained	by driller.		0	70	Clay		
	be returned		applic	abie, so sta	ite, otherwis	e me	_10_	21	Gravel		
\mathcal{D}	ر ا),cs	CIA				21	20	66	Cl-4	
Owner	an w	<u> </u>	304	For Admi	nistratės's U	se		373	States water	(evel	
Address	DOX 19	<i>f10</i>	F	ile# 30	5.5		38	352	Sundy Clay		
Bon	78 ma	nMo	nt	April 24	6.5.	15Am.	353	36_	Sond		
Date well	started M	luxch 7,	1972	SW 1			34	44	Gravel bound	12Clay	
com	pleted	March 16	1,972				44	57	Clay		
Type of we	ell <u>Ox</u> v	lled	(Du	g, driven, bored	or drilled)		51	61	Gravel in Clas	*	
Equipment	used C	-hucn	Drul			*	61	_لرما	Sand+ Grave		
Water Use:	: Domestic	Mu Mu		Stock [on 🗌	62	70_	clay	~~~~	
Indi	ustrial 🗌	Drainage	- O18	ner []*	Garden/Law	n d					
*Describe	******************			*******	•••						
USE: If us	ed for irri	gation, inc	dustrial. c	irainage or	other Ex	plain,					
					ta (i.e. Lot,						
and A	Addition)		• • • • • • • • • • • • • • • • • • • •		*************						
ESTIMATED	ANNUAL	WITHDRAY	VAL								
Size of Prilled Hole	Size and Weight	From (Feet)	To (Feet)		ERFORATIONS	 S					
_	of Casing			Kind Size	From (Feet)	To (Feet)					
low.	18,00	12 above Greund	101								
	172	Grenny	60	_	-						
			1								
	N						!				
			Stati	c water lev	ei 275	ft.*					
	į		Pum	ping water	levelgallons p	:ft.*		+			
			mea	sured Ihr.	m inates afte	er pumping	'; li				
w			bega								
					n ground le i by Bel			+			
				developed		\. 					
			Posv	er	Pump	нр)				
					el packing,	_					
	5		pack	ers, type o	f shutoff)		`\				
SW W	50 1/4 Se	<u>ç. 19</u>			••••••						
r2	💆 R	<u></u>	 -			*******					
1410101	\$		7								
INDICATE	ACM ATICAL	OF WELL	AND PL	ACE OF II	ISE IE POSS	SIBLE	!		~_~~~~~~~~~		
EACH SMA					oc, · oc			i			
	ALL SQUARE	E REPRESE	NTS 40 A	CRES.							
		E REPRESE	NTS 40 A	CRES.							

70-11. Show exact depth of bottom

•

3

G۳	

File No.

DUPLICATE

proved	Stock	Form.	-Stat =	Purisma	Co.,	elenu.	Montana-41921	-1

County ...

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237. Montana Session Laws, 1961)

1	or) of Soundaines (Route Z), Borown)a
County of Gallatin	State of Montana and State of Montana State of Montana laws in effect prior to January 1, 1962, as follows:
have appropriated groundwater acco	ording to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based water for privat
	residence, irrigation of lewn
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been N. Vember 1967
	centinuous
w	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute)
	5. If used for irrigation, give the acreage and description of the lands
s	to which water has been applied and name of the owner thereof
	lewn sprinkler irrimation wout 1 sere or
6 1/4 Sec. 19 T28 R67	yard
Indicate point of appropriation and place of use, if possible. Each	
small square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
•	tion of each well or other means of withdrawal.
	driven well
	be: 1947-November 1947
	be: 1947-November 1947
3. The depth of water table	be: 1947-November 1947 type size and depth of each well or the general specifications of any other
3. The depth of water table	be: 1947-November 1947 type size and depth of each well or the general specifications of any other
3. The depth of water table	be: 1947-November 1947
3. The depth of water table	be: 1947-November 1947 type size and depth of each well or the general specifications of any other
9. So far as it may be available, the works for the withdrawal of ground	type, size and depth of each well or the general specifications of any other dwater well or the general specifications of any other
9. So far as it may be available, the works for the withdrawal of ground	type, size and depth of each well or the general specifications of any other dwater well or the general specifications of any other
8. The depth of water table	type, size and depth of each well or the general specifications of any other dwater withdrawn each year 126,100 Sallow.
8. The depth of water table	type, size and depth of each well or the general specifications of any other dwater withdrawn each year /26/00 Sallow. in the drilling of each well if available
8. The depth of water table	type, size and depth of each well or the general specifications of any other dwater withdrawn each year 126,100 Sallow.
8. The depth of water table	type, size and depth of each well or the general specifications of any other dwater withdrawn each year /26,/00 Sallow. in the drilling of each well if available
9. So far as it may be available, the works for the withdrawal of grounds. 10. The estimated amount of grounds. 11. The log of formations encountered.	e type, size and depth of each well or the general specifications of any other dwater withdrawn each year 126,100 Sallows. in the drilling of each well if available
9. So far as it may be available, the works for the withdrawal of groundward. 10. The estimated amount of groundward. 11. The log of formations encountered.	type, size and depth of each well or the general specifications of any other dwater withdrawn each year /26/00 Sallow. in the drilling of each well if available The results of the policy of this act, including
9. So far as it may be available, the works for the withdrawal of groundward. 10. The estimated amount of groundward. 11. The log of formations encountered.	e type, size and depth of each well or the general specifications of any other dwater withdrawn each year 126,100 Sallows. in the drilling of each well if available
9. So far as it may be available, the works for the withdrawal of groundward. 10. The estimated amount of groundward. 11. The log of formations encountered.	type, size and depth of each well or the general specifications of any other dwater withdrawn each year /26/00 Sallow. in the drilling of each well if available The results of the policy of this act, including
9. So far as it may be available, the works for the withdrawal of groundward. 10. The estimated amount of groundward. 11. The log of formations encountered.	type, size and depth of each well or the general specifications of any other dynater withdrawn each year /26/00 Sallow in the drilling of each well if available The type, size and depth of each well or the general specifications of any other dynater withdrawn each year /26/00 Sallow in the drilling of each well if available The type, size and depth of each well or the general specifications of any other dynamics of the general specifications of any other dynamics of the specifications of the specifications of any other dynamics of the specifications of the specifi
9. So far as it may be available, the works for the withdrawal of groundward. 10. The estimated amount of groundward. 11. The log of formations encountered.	type, size and depth of each well or the general specifications of any other dwater withdrawn each year /26/00 Sallow. in the drilling of each well if available The results of the policy of this act, including
9. So far as it may be available, the works for the withdrawal of groundward. 10. The estimated amount of groundward. 11. The log of formations encountered.	type, size and depth of each well or the general specifications of any other dynater withdrawn each year /26/00 Sallow in the drilling of each well if available The type, size and depth of each well or the general specifications of any other dynater withdrawn each year /26/00 Sallow in the drilling of each well if available The type, size and depth of each well or the general specifications of any other dynamics of the general specifications of any other dynamics of the specifications of the specifications of any other dynamics of the specifications of the specifi

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

35721

Fee s United States St.

DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Driller's Address 2167 Bn Jyer Or.

Bozeman, Mentana LICENSE NO. 17

140	APPROPE	RIATION	BY M			ER.		•	at which water is found and t to which water rises in well.	
(Under	Chapter 23	7 Montana	Session	Laws, 196	il, as amer	ided)	Top of	Groun	d (Eler, above sea level)	
by the ov	n to be pre	he County	Clerk ar	nd Recorde	r in the co	untv in	From (Feet)	To (Feet)		
	e well is loo swer all que				-		_0_	-8	Clay	
form may	be returne	d			,		_8_	23	Sand + Graval bounding	lay
Owner R.	R. & Mai	ry W. RE	ike	For Adr	ninistrator's	llse	23	523	Sandy Clay	
Address	Route 3,	Box 1			1		523	3; 53	Static water level	- 4
***************************************	Foseman,	Mont. 5	9725	Carl	0.1973		_53.	713	Sandy Cluy	
Date well	started M	larch 31		1		ł	715	בכ	Sand+ Fine Gravel	
	mpleted	•					72	_73_	Sand	
Type of w	vellOvx	hed	***************************************				7.3	90	Gravel bound in Clay	
Equipment	t usedC	hurn D	<u>(,1)</u>				90	91	Sand + Gravel	
Water Use	e: Domestic	: 🔀 Mu	•	Churn drill, tot Stock		tion [
	dustrial 🔲		_		Garden/La					
	_	•				iwn Ug				
	sed for irri									
	Addition). D ANNUAL Size and Weight									
	of Casing	1.6.		Kind Stre	From Feet)	To (Feet)	-			
Lin.	6\$ 00	13 above	905							
	17#				-	-				
				}						
	<u> </u>		 	; 			=			
<u> </u>	1				evel 3/					
					er level .9.1 gallons					
ł			me	asured LaD	minutes af					
w	;		-	gan. Jeasured fro	om ground	ievel.				
			We	II develope	ed byP.y.					
					hours. Pump		P			
					vel packing					
Tat 42	Bulen's	Saboi =	pac	kers, type	of shutoff)					
	4 ¼ S	ec19						 		
T 2 \$	<u>N</u> R	. 63 E			***************************************					
INDICATE	LOCATION	OF WELL	AND P		USE, IF PO	SSIBLE.				
	ALL SQUAR									
Oriller's Si	ignature	Ucnale	1 C.3.	enec						

Show exact depth of bottom

State of Montana
County of Balatin

Filed Acc / C 1973

at Sizs o'clock P.M.

Carl J. Stucky

County Sleeks 2 contar

By Leecel F. Stucky

Deputy

Fact 2 Deputy

€W	•

Approved Stock Form—State Pub	lishing Co., riciem	. Momana	
		,	
	T 2 5	R&E	

DUPLICATE

County

40 - JA - E5 1904

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

•••		we of Bozeman
	(Name of Appropriator)	(Address) (Town)
Co	unty of Gallatin	State of Montana
ha	ve appropriated groundwater according	to the Montana laws in effect prior to January 1, 1962, as follows:
	N	9
Γ	2	2. The beneficial use on which the claim is based Residence and
ļ		Lawn and Garden.
		and the second s
]		B. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous since 1951
1		ous the use has been continuous since 1771
Ļ	E	
1		
Γ	4	t. The amount of groundwater claimed (in miner's inches or gallo
ŀ		per minute) 50 Gallons Per Minute
		5. If used for irrigation, give the acreage and description of the lar
_	S	to which water has been applied and name of the owner there
_	10	Lawn-Approx.200x200 Ft.
=	14 Sec. 19 T25 R6E	Garden-50x35 Ft
di	cate point of appropriation	
d	place of use, if possible. Each I square represents 10 acres.	6. The means of withdrawing such water from the ground and the lo
	of the heavy size Con	tion of each well or other means of withdrawal Electric Pum Well Located in Basement of dwelling
7 4	Ch and have a second	Wall forested in Resement of dimilitims
		Well Pocafed In Dascment of dwelling
' .	The date of commencement and comple	tion of the construction of the well, wells, or other works for wi
•	The date of commencement and comple drawal of groundwater Jan. 1, 195	tion of the construction of the well, wells, or other works for will
	drawal of groundwater Jan.1, 195	tion of the construction of the well, wells, or other works for will
	drawal of groundwater Jan.1, 195	tion of the construction of the well, wells, or other works for wi
	drawal of groundwater Jan.1, 195	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface
3.	The depth of water table Well is 85	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface
3.	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater.	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Ft Deep
	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater.	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Ft Deep
	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater.	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Ft Deep
	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater.	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Ft Deep
).	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater.	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Pt Deep
i.	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater.	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Pt Deep
).).	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater.	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Pt Deep ithdrawn each year 350,000 gallons
).).	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The stimated amount of groundwater well as the stimated amount of groundwater well as the sog of formations encountered in the	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Pt Deep ithdrawn each year 350,000 gallons drilling of each well if available Not Available
).).	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The stimated amount of groundwater well as the stimated amount of groundwater well as the sog of formations encountered in the	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Pt Deep.
).).	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The stimated amount of groundwater well as the stimated amount of groundwater well as the sog of formations encountered in the	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Pt Deep ithdrawn each year 350,000 gallons drilling of each well if available Not Available
i.).	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The stimated amount of groundwater well as a significant of groundwater with the significant of groundwater.	tion of the construction of the well, wells, or other works for will be stated by the state of t
i.).	drawal of groundwater Jan.1, 195. The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The estimated amount of groundwater well to get formations encountered in the Such other information of a similar national similar nation.	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Ft Deep ithdrawn each year 350,000 gallons drilling of each well if available Not Available
3.).	The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The estimated amount of groundwater well as a similar formation of a similar nature ference to book and page of any county.	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface, size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Ft Deep ithdrawn each year 350,000 gallons drilling of each well if available Not Available
5. 5.	The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The estimated amount of groundwater well as a similar formation of a similar nature ference to book and page of any county.	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface , size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Ft Deep ithdrawn each year 350,000 gallons drilling of each well if available Not Available ure as may be useful in carrying out the policy of this act, include y record.
5. 5.	The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The estimated amount of groundwater well as a similar formation of a similar nature ference to book and page of any county.	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface, size and depth of each well or the general specifications of any of 6 in Casing, Well is 85 Ft Deep withdrawn each year 350,000 gallons drilling of each well if available Not Available are as may be useful in carrying out the policy of this act, include a record.
5. 1.	The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The estimated amount of groundwater well as a similar formation of a similar nature ference to book and page of any county.	tion of the construction of the well, wells, or other works for will Ft.Deep/ Water Table is 25 Ft.From Surface, size and depth of each well or the general specifications of any of 6 in Casing, Well is 85 Ft Deep withdrawn each year 350,000 gallons drilling of each well if available Not Available are as may be useful in carrying out the policy of this act, include a record.
i.).	The depth of water table Well is 85. So far as it may be available, the type, works for the withdrawal of groundwater. The estimated amount of groundwater well as a similar formation of a similar nature ference to book and page of any county.	tion of the construction of the well, wells, or other works for will Pt.Deep/ Water Table is 25 Pt.From Surface size and depth of each well or the general specifications of any ot 6 in Casing. Well is 85 Pt Deep ithdrawn each year 350,000 gallons drilling of each well if available Not Available ure as may be useful in carrying out the policy of this act, including record.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

County of Callatin (ss.

Filed December 27, 1963

3:35 o'slock N.

EARL WALTON

OUNTY CLERK & RECORDER

JULIAN FEDDIC

DEPUTY

Fee \$ 2.00

CW	*
GW	Σ.

							_
Approved	Stock	From-State	Publishing	Ca	Telema.	Montains—FRC8:	

File No.						T.	_29	R 68	a a transmission of the mark
DUPLIC	ATE					e	ounty	Gallatir	<u> </u>
20120					STATE			ECEI	VED
	ك د من من من من ا			ADMINIST	RATOR C	F GROUN	DWAMEL	CODE	ا امد
-3	Top of Ground	About		OFF	PICE OF	STATE E	NGLNÆER 	OCT 8 1	1963
- :0	(Elev. above sea level.	49001	, No	tice of C	omple	etion o	f Gros	andwat	er
. 20	(Mer. above Sea level.		-	Appropr			CIA		TNEER
-30				(Under Char					
40	CLZY			Conder Chap					
_ 50	()		OwnerFr	ed J. Sanfo	ord &	arol An	" SET	Lane	
-60			V	LE. Jones			20 Elos E	midner K	odnde.
_ 70			LJ L 11101			Addres			-
_90			Date of Not	ice of Approp	riation of	Groundwa	er Oct	ober 3,	1963
- 90	The second secon		Data wall c	tartel -4	;. Ió, 1	Samuel Ca	mnleted A	ug. 23,	1963
100									
_1/6				IL Drilled		Equipu	ent Used., drill, rots	Ghurr D	<u> </u>
1 1	51001 CL 41		drilled)	en, bored or		other)		ry or	
_120	CLAI		Water Use	: Domestic E	Mnr	nieipel []	Other	□ Ir	rigation 🗀
-130			Water ese	Industrial	_	ainage [Stock		
_140			The facilities	مئل میلام سید		al. n me at an	and this	-man of th	a different
-150				ite on the dia with in drillin					
-160	SAUDSTENE		Show depth	at which wat	er is enco	untered, tl	iickness a	nd characte	
_170	CLAY ALD		bearing str	ata and height	t to which	water rise	s in the v	vell.	
130	SANDSTONE	₹ ===	Stre of	Size and	From	To			
- 190			Ortion Floie	Weight of Caring	(Feet)	(Fret)	Kind	From	NS To
				;	:		Store	(Feet)	(Feet)
			6inch €	5/8" = 15#	. ~	: 01			
					ಪlove ೃಾಜಿ.				
F 1									1
- 1								1	
—									,
- 1		49	A STATE OF THE PERSON OF THE P	May as a contraction of contraction of contraction of the contraction of the contraction of the contraction of contraction of the contraction of t	THE PARTY OF THE P	The second second	1	10 <i>f</i> ect	
_	N		- Static	Water Level	for non-flo	Wing Well	··· · · · · · · ·	20 2000	feet.
_ !			Shut-	in Pressure fo	r Flowing	Well			
L.				oing Water Lev	. 1501		1		
L			, ump	oing Water Lev	el = 235	Tec	tat	/g;a.i.	per minute.
		** - * * * * * * * * * * * * * * * * *	Disen	arge in gal, pe	r min. of	flowing w			********
	 		- E Vari	TestedPun		Lang	th of Tee		٠
				resteu	3D		in or res	4,140	
1			Rema	rks: (Gravel	-	-	-		
}		1							ell, and any number of
-				74	and per				
-				aeres irri	gated, if	used for ir	rigation)		
_	18 1/18 Sec. 19	T15 R6	E						
-	Indicate location	of well ar	nd						
	place of use, if small square repre								
	ament adams rebre	nur to aut	•••	,			nemer i legal er		
	Show exact depth of	bottom.					1-	7	
						Driller	's License	Number	
						6	n 15	() عي	~
						15-211	's Signatu		mes
						11771101	· s >imnsir	cre -	

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

\

T 2-5 R 6-F	19
County Gallatin	[]

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

WATER WELL LOG

		exander M.					
	Owner Do	rothes A.	School.		Address	Rt 2, Boz	
	Driller Van	Dyken Dr	illing	Go	Address	Boz eman	
	Date Started		***********		Date Co	mpleted 22	Nov 1947
						IE.	
Type of well	rilled	red or drilled)	Equip	ment used		ntrn Drill	
Water use: Domestic		Municipal		Stock		Irrigation	
Industrial		Drainage		Other:			
Casing: 1	ft. to	75ft.	ТуреР.	ipe	Size	6 insh	
Casing:	_ft. to	ft.	Туре	• • • • • • • • • • • • • • • • • • • •	Size	********************	*****************
Casing:	_ft. to	ft.	Туре		Size		**************************************
Perforated or Screened	: Ft	to ft		Ft		to ft	····
Type of screen or perfor	ations No	ither: C	pen end				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Static Water level, for n	ion-flowing we	u:	L	0	·······		fect.
Shut-in pressure, for flo	owing well:			b. sq. in. on:		(date)	
Pumping water level	15	fee	t at	15		\	****************
How tested: 8a 11							
Length of test	,, (n-,,14.4), 000,00 4 0.00 0,000,000	,	,.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***********			************
Remarks: (Gravel pac					of shut-c	ff)	
		**********		**************************************			***************************************
	******					************************	·
				******************************	` 	********	************************
	***************************************		· · · · · · · · · · · · · · · ·	#\$### - ng = 1 to a u a da 4 to a a v 4 to 7		**********************	
•			(over)	***************************************		**************************************	

Log of Well

•

Depth	fact		
From	To	Description of Material Drilled	
		Dirt	
- L	15		
15		Oravel	:
20	75-	Gravel and clay	 ;
:	• •		
		; !	
:			•
•			
ŧ		·	_
·			
1			
:			
1			
<u> </u>		の 国(国語)	
			
:		STATE ENGINEER	
· ·			
!			
		•	
			
I .			
		Gallatin Councy / . State of Mopana.	
		Filed 1957	
		at Ociock J.M.	
		- Buy welton	
		COUNTY CLERK & RECORDER	
		Ву	
		DEPUTY	
		Fee \$	

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand,

gravel, shale, sandsione, etc. Show

depth at which water is found and

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

				ry 1, 1962						
(Under	Chapter 237	7 Montana	Session	Laws, 1961	, as amend	ied)	Top of	Graund	(Elev. above	sea level)
This form	to be prep	pared by	driller, a	ind three co	pies to be	filed	From (Feet)	To (Feet)		
which the	well is loc	ated, last	copy to	nd Recorder be retained	by driller.	nty in	0	6	Top Soil + C'l	44
Please ans	wer all que	stions. If	not appli	cable, so sta	te, otherwi	se the		4	staticuster	Sevel.
torm may	be returned	3.						20	brovel	
Owner _F	aul A. Sc	chofield	l, et w	F			20	31	Clay	
				For Admi	nistrator's L		31		Graveline	1016
Address #	loute 3, I	30X 30		File# 3/6		j		42		
Bose	man, Mont	t. 59715	5	Nov. 22	1972	300m	42	477	Sond + Grac	ــــــــــــــــــــــــــــــــــــــ
Data wall	started	hu 6 19	171	GW 1	•	ì	424	46	Clay	
con	npleted \mathcal{N}	ov. 9,19	.7.1				467	47	Sand of Fine 6	DEACE
Type of w	ell Dal	led								
		_		ug, driven, bored	or drilled)	*****				
Equipment	used Sala	urn D	Mill	Churn drill, rotar	y or other)	*******				
Water Use	: Domestic	% Mu] Stock [•	on [
					- •					
Inc	dustrial 🗌	Drainage	• [] O	ther []*	Garden/Lav	wn 🔁				
*Describe			·	**********		******				
USE: If U	sed for irri	gation, in	dustrial,	drainage or	other. Ex	cplain,				
state	number of	acres and	location	or other da	ta (i.e. Lot,	Block				
and	Addition)				*******	******				
ECTIAA A TEI	O ANINULAL :									
6211WW1E							1	}		
		====				•••••				
Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)		PERFORATION	is			المرافق والدو فيهيا متيان ميليان المرافق المتالة الميلية المالية الميلية المالية الميلية المالية الميلية الميل والمرافق المرافق المرافق المرافق المرافق المرافق الميلية المرافق الميلية الميلية الميلية الميلية الميلة الميلة	
Drilled	Size and Weight of Casing	From (Feet)	To			To (Feet)				
Drilled	Size and Weight	From	To	Kind	PERFORATION	To			در الدول الدول الدول الدول ال الدول الدول ا	
Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Kind	PERFORATION	To				
Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Kind	PERFORATION	To				
Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Kind	PERFORATION	To				
Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Kind	PERFORATION	To				
Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Kind	PERFORATION	To				
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	To (Feet)	Kind Size	From (Feet)	To (Feet)				
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	To (Feet)	Kind Size	PERFORATION From (Feet)	To (Feet)	/			
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	To (Feet) サネ サンゴ Sta: Pur at	Kind Size tic water levenping water	rei 4.	ft.*				
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	Star Pur at me beg	Kind Size tic water lever pping water 30 asured60.	rel 4 level 42 minutes aft	ft.*				
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	Star Pur at me beg	Kind Size Kind Size To water leverage water 30 asured .60 gan. leasured from	rei 4 level 42 minutes aft	ft.* ft.* per minute er pumping				
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	Stai Pur at me beg	Kind Stare Kind Stare To assured water So assured water Gan. leasured from	rei 4 level 42 gallons minutes after	ft.* ft.* per minute er pumping				
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	Stai Pur at me beg	Kind Size Kind Size To water leverage water 30 asured .60 gan. leasured from	rei 4 level 42 gallons minutes after by Dura	ft.* ft.* per minute er pumping				
Drilled Hole	Size and Weight of Casing 7"0.0.	From (Feet)	Star Pur at me beg *M We for Pov Rer	Kind Size Kind Size To astronomy Assured	rei 4. level 4. minutes aft by	ft.* ft.* ft.* per minute er pumping evel. ft.* ft.*				
Drilled Hole Com.	Size and Weight of Casing 7" 0.0.	From (Feet)	Star Pur at me beg *M We for Pov Rer	Kind Size Kind Size To assured water 30 To assured water Gan. To assured from To assure	rei 4. level 4. minutes aft by	ft.* ft.* ft.* per minute er pumping evel. ft.* ft.*				
Drilled Hole G	Size and Weight of Casing 7"0,0.	From (Feet)	Star Pur at me beg *M We for Pow Rer page	Kind Size Kind Size To astronomy Assured	rei 4. level 4. minutes aft by	ft.* ft.* ft.* per minute er pumping evel. ft.* ft.*				
Drilled Hole G	Size and Weight of Casing 7"0,0.	From (Feet)	Star Pur at me beg *M We for Pow Rer page	Kind Size Kind Size To astronomy Assured	rei 4. level 4. minutes aft by	ft.* ft.* ft.* per minute er pumping evel. ft.* ft.*				
Bulen!	Stre and Weight of Casing 7'' 0,0. 24#	From (Feet)	Star Pur at me beg *M We for Pov Rer pac	Kind Size Kind Size The Kind Size The Kind Size Kin	rei 4 level 42 minutes aft m ground le d by Dunk hours. Pump	ft.* ft.* per minute er pumping evel. ft.* per minute er pumping				
Bulen* SE-V INDICATE	Stre and Weight of Casing 7"0,0. 24# N S Subdiv. N R N S LOCATION	From (Feet)	Star Pur at me beg *M We for Pow Rer pac	Kind Size Kind Size The Kind Size	rei 4 level 42 minutes aft m ground le d by Dunk hours. Pump	ft.* ft.* per minute er pumping evel. ft.* per minute er pumping				
Bulens T25 INDICATE EACH SM.	Stre and Weight of Casing 7''0,0. 24#	From (Feet)	Star Pur at me beg *M We for Pov Rer pac	Kind Size Kind Size Kind Size A Company water SO asured Company water gan. leasured from leasured from wer. marks: (Gravelenes) ckers, type of ACRES.	rei 4. Peet) rei 4. Peet) rei 4. Peet) minutes aft m ground let by Pura hours. Pump	ft.* ft.* ft.* ft.* per minute er pumping evel. cementing,				
Bulens T25 INDICATE EACH SM.	Stre and Weight of Casing 7''0,0. 24#	From (Feet)	Star Pur at me beg *M We for Pov Rer pac	Kind Size Kind Size Kind Size A Company water SO asured Company asured from the source of	rei 4. Peet) rei 4. Peet) rei 4. Peet) minutes aft m ground let by Pura hours. Pump	ft.* ft.* ft.* ft.* per minute er pumping evel. cementing,				
Bulens T25 INDICATE EACH SM.	Stre and Weight of Casing 7''0,0. 24#	From (Feet)	Star Pur at me beg *M We for Pov Rer pac	Kind Size Kind Size The Kind Size	rei 4. Peet) rei 4. Peet) rei 4. Peet) minutes aft m ground let by Pura hours. Pump	ft.* ft.* ft.* ft.* per minute er pumping evel. cementing,				

State of Montana
County of Gallatin

Filed 100.22, 1970

at 9.30 o'clock 111.

Capl L Stucky

County Clerk & Recorder

By Level (G.M.)

100 Deputy

DUPLICATE

File	No.

Approved Stock Form—State Publishing Co., Effelens, Montana—4224 T 2 5 R 6 E
County La Clatin

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under (Snapter 257, Montana Session Daws, 1901)
0 113 30	
1 PAUL H& KUTH IT. DOHO	FIELD, of SOUR PRICHHOAD, BEZERIAN
(Name of Appropriator	(Address) (Town)
County of [74] Atin	State of MCNTANA
uave appropriated groundwater accor	ding to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based well for clowes fee
	water supply and storage found for ing ation
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been 6 taker, 1959 and 1148 been
	ous the use has been betaber, 1954 and 1145 been used continuently since
E	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 11 au/1515, cor minute for well
	per minute) 10 gallous for minute for well
	, ,
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
	3 acres in Tract K located in
N 1/2 Sec. 19 T 25 R 6 E	N 12 Of Section 19 25, 6E
ndicate point of appropriation	
nd place of use, if possible. Each mall square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
man square represents 10 acres.	tion of each well or other means of withdrawal /2 10 2 Liners We
	Funip well located adjacent to issidence
	France Well located adjacent to Esidence witract 5 m NYZ of Sec 19, 25, 6 F
7. The date of commencement and co	mpletion of the construction of the well, wells, or other works for with-
drawal of groundwaterSu.	ue as item #3
8. The depth of water table D. fee	t for storage poud 16 feet for well
	· · · · · · · · · · · · · · · · · · ·
9. So far as it may be available, the	type, size and depth of each well or the general specifications of any other
tue// — " (is seen	vater
storage pond 1	1/2 Gare in 9138 average death 4 feet
asifacelet to but	175 feet deep 12 acre in 913e average depth 4 feet, not part of, Sour Dough Creek
J	***************************************
O The estimated amount of groundwat	er withdrawn each year 66,000 ggllong
	/
1. The log of formations encountered in	the drilling of each well if available 20 feet clay,
remainder un sand	graveland large Roulders
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
2. Such other information of a similar	nature as may be useful in carrying out the policy of this act. including ounty record.
reference to book and page of any co	ounty record LET KARLEA
	Fauth. Jehofeet
	Signature of Owner Keth a School Cold
	Date 12-36-43
	Care and an arrangement of the contract of the

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

1286

.

`

Approved Stock Form-State Publishing Co., Helena, Montana	
T 29R65	
County Fallatin	

File No.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

	(Under Chapter 207, 1	Montana Session Laws, 1961)
_	. 1.6 # 1.50	. F. t. 2 Bus
1	1. Scatt (Name of Appropriator) County of Hallatin	(Address) (Town)
C	County of Hallatin	State of Montana
h	have appropriated groundwater according to the	Montana laws in effect prior to January 1, 1962, as follows:
_	N	22 6 26
Γ	2. The b	eneficial use on which the claim is based from half, we large atter & stock water
-	\(\lambda\)	an surgation, & stock wall
- }-	3. Date	or approximate date of earliest beneficial use; and how continu-
	ous th	se use has been well and dullid in the service survey 1944, the them were energies
. L	,	my 1944, has then used Energy
		mount of groundwater claimed (in miner's inches or gallons
}	per m	inute) may of 10 yel per min
- }-		
L	5. If use	d for irrigation, give the acreage and description of the bads
	s to wh	ich water has been applied and name of the owner thereof
VE	VE 14 Sec. 19 T 2 R 6	Town irrigation for 125 × 150 fl
	Indicate point of appropriation	
\mathbf{md}	and place of use, if possible. Each	neans of withdrawing such water from the ground and the loca-
- ma		
	····	f each well or other means of withdrawal
7.	31	he construction of the well, wells, or other works for with-
	J. 30.	9.49
8.	8. The depth of water table	/
	9. So far as it may be available, the type, size and	d depth of each well or the general specifications of any other
	,52. 77.7	with 5 in casing & 5 ft days
	do the tild	To find the state of the state
19.	19. The estimated amount of groundwater withdrawn	each year
	· ·	·
IJ.		of each well if available met a relation

12.		ay be useful in enrrying out the policy of this act, including

		-1-100 H-200 UT
		simon of any late of the
		Signature of Owner job. F. Suite Date /2/21/- 5
		Date

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

الميسب

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

County of Gallatin) Se.

Form No. 18 8-60

Ι	201	R	6	٤
County		· inta	Ein.	

MONTANA BUREAU OF MINES AND GEOLOGY UNKNOWN Butte, Montana

Water Well Log
Owner lack 1 Stover Address Soute 2 Bozeman Moi
Date Started 1946 Location: Sec. 9 T. 7 R. 6 4 sec. 155
Type of well
Water use: Domestic X Municipal Stock X Irrigation X Industrial Drainage Other
Casing: to ft. to ft. Type steel Size 6 loch
Casing:ft. toft. TypeSize
Casing:ft. toft. TypeSize
Perforated or screened: Ftto ft Ftto ft Type of screen or perforations
Static water level, for non-flowing well: twenty feet feet. Shut-in pressure, for flowing well:lb./sq. in. on:(date)
Pumping water level 100 feet at 20 gal. per min
Length of test two hours
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
(over)

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

					_		
(Under Chapte	er 237	Montana	Session	Laws.	1961.	as ame	/babe

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the

form may be returned.

	Owner	eRoyd.	Switzi	<i>er</i>	For Admi	nistrator's U	se
	Address	109 No. 1	AL AV		ile#305	E March	14,120
	Boze	man, Mo	nt.	L		7 <i></i>	/ 1
	Date well	started F	=b. 16,1	972 0	W 1		
	com	pletedF	eb. W,	1972			
	Type of we	•		(Du	, driven, bored	or drilled)	••••••
	Equipment	used	Churn		nurn drill, rotar	y or other)	
	Water Use	Domestic	⊠ Mu	nicipal 🔲	Stock [Irrigatio	on []
	Indi	ustrial 🔲	Drainage	☐ Oth	ner □*	Garden/Lav	vn 🏗
	*Describe			***********			
	USE: If us	ed for irrig	gation, ind	dustrial, d	rainage or	other. Ex	plain, Block
	ESTIMATED	ANNUAL	WITHDRAY	VAT			
	Size of Drilled	Size and Weight	From (Feet)	Te (Feet)		PERFORATION	<u> </u>
	Hole	of Casting		(1 64)	Kind Size	From (Feet)	To (Feet)
	Gin.	LE"ON	Jabore	68'			
		17**	0.02.4			-	
						-	
						<u></u>	
		N		<u> </u>		1 16	
						rel LS	
				at	35	gallons	er minu
			}			minutes afte	er pumpi
	*			bega •Me		n ground le	evel.
		ł				l by ? .	
		1					
				far .			
				far . Paw	er	hours. Pump el packing,	
→ 1.	Lot 1.	, s Blk	<u> </u>	far Paw Rem	er arks: (Grav	Pump el packing,	cementi
Sub	Lot l.	. 1 ^s Blk	Sour D	for . Power Rem pack PoughC	er arks: (Grav	Pump el packing,	cementi
Sub	56 14		c. 19	far Paw Rem pack Ough	erarks: (Grav ers, type o reek Pr	Pump el packing, f shutoff) opertie	cementii
Sub	<u>Σα γ</u> Τ2			for Power Rem pack Pough Cough	erarks: (Grav ers, type o	Pump el packing, f shutoff) Opertie	cementii
Ju b	<u>Σα γ</u> Τ2			for Power Rem pack Pough Cough	erarks: (Gravers, type o	Pump el packing, f shutoff) opertie	cementii
Sub	TZ	'4 Se 	OF WELL	for Power Rem pack Ough C	arks: (Gravers, type or control of the control of t	Pump rel packing, f shutoff) ropertie	cementii
Su b	T2 INDICATE EACH SMA	'4 Se 	OF WELL REPRESE	for Pown Rem pack lough 3	arks: (Gravers, type or reck Pr	Pump rel packing, f shutoff) Dertie	cementii
Sub	T2 INDICATE EACH SMA Driller's Sig	LOCATION LL SQUARE	OF WELL E REPRESE	for Power Rem pack Pough C	ACE OF U	Pump rel packing, f shutoff) Popertie	cementii

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, day, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

From (Feet)	To (Feet)		
0	10	Top Soil + Clay	
10	135	Static water level Clay + Fine Gravel	
35	18	Claus Fine Ground	
>-	1-22-	}	
<u> 45</u>	68	Sanda Fine Gravel	
:	 		
	+		
	1		
			
	+		
	+		
	1	- 110 (40) (40) (40) (40) (40) (40) (40) (40	
	+		
	 		
	 -		
	 		
		داده است خدم داده است است داده داده است بی _{نیده} بیدی بیدی در داده داده داده داده داده داده داده د	
	+		
	-	ره رهی جرب بینه رفته شده هاه هاه رفت نمی بین _س ید روی هاه ^{های ب} ای ا	
			

G	t		

File	No	

TJERSE	٠.
--------	----

DUPLICATE

County Gallatin

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights (Under Chapter 237. Montana Session Laws, 1961)

(Name of Appropriator)		(Town)
County of Gallatin have appropriated groundwater acc lows:	State of Montana ording to the Montana laws in effect prior to J	January I, 1962, as fol-
	2. The beneficial use on which the claim is domestic and recreation.	based irrigation,
0	3. Date or approximate date of earliest benefitinuous the use has been April 30, 1	959 continually
E	4. The amount of groundwater claimed (in m per minute) 675 gallons per m	iner's inches or gallons
~ s	5. If used for irrigation, give the acreage a lands to which water has been applied at thereof ELNW WINE WINE TO THE STATE OF THE STATE	and description of the nd name of the owner of Section 19,
ndicate point of appropriation and place of use, if possible.	and a portion lying south of SELSWL, and in SWLSEL of Sec 2cSouth of Range 6 East. Val 6. The means of withdrawing such water from	the County road ition 18, Township Ley View Gentley Yark om the ground and the
ach small square represents 10 cres.	location of each well or other means of w from lake developed in SEINE	
	Township 2 South of Range 6	
The date of commencement and cordrawal of groundwater April 3	npletion of the construction of the well, wells, o 0, 1959-July 30, 1959	r other works for with-
drawal of groundwater April 3 The depth of water table From 1e	npletion of the construction of the well, wells, o 0, 1959-July 30, 1959	r other works for with-
The depth of water table From le water table. So far as it may be available, the ty other works for the withdrawal of approximately 300 feet 1 by portable system using	Township 2 South of Range 6. npletion of the construction of the well, wells, o 0, 1959-July 30, 1959.	East. r other works for with- eing the first l specifications of any e water table eet deep. Pumped
The depth of water table From le water table. So far as it may be available, the ty other works for the withdrawal of approximately 300 feet 1 by portable system using unit using 220 gallons purity as 200 days process as 200 days as	Township 2 South of Range 6 npletion of the construction of the well, wells, o 0, 1959-July 30, 1959 ss than 1 foot to over 12 feet b pe, size and depth of each well or the general groundwater Excavation made into the ong, 150 feet wide and 3 to 12 f 455 callons per minute and by p er minute. ter withdrawn each year 200 to 400 acc ys. the drilling of each well if available 12 - 3	East. r other works for with- eing the first l specifications of any e water table eet deep. Pumped ermanent pumping
The depth of water table From le water table. So far as it may be available, the ty other works for the withdrawal of gapproximately 300 feet 1 by portable system using unit using 220 gallons purity using 220 gallons purity as 200 da The log of formations encountered in	Township 2 South of Range 6 npletion of the construction of the well, wells, o 0, 1959-July 30, 1959 ss than 1 foot to over 12 feet b pe, size and depth of each well or the general groundwater Excavation made into the ong, 150 feet wide and 3 to 12 f 455 callons per minute and by p er minute. ter withdrawn each year 200 to 400 acc ys. the drilling of each well if available 12 - 3	East. r other works for with- eing the first l specifications of any e water table leet deep. Pumped erranent pumping re-feet- per feet loan soil
The depth of water table From le water table. So far as it may be available, the ty other works for the withdrawal of approximately 300 feet 1 by portable system using unit using 220 gallons purity using 220 gallons purity as 200 da The log of formations encountered in over gravel which contains such that the similar reference to book and page of any contains as 200 da and page of any contains as 200 da similar reference to book and page of any contains as 200 da and	npletion of the construction of the well, wells, o 0, 1959—July 30, 1959. ss than 1 foot to over 12 feet b pe, size and depth of each well or the general groundwater Excavation made into the ong, 150 feet wide and 3 to 12 feet with and 3 to 12 feet with and by per minute. ter withdrawn each year 200 to 400 across the drilling of each well if available 12 - 3 ns groundwater.	East. r other works for with- eing the first l specifications of any e water table eet deep. Pumped erranent pumping re-feet- per feet loan soil icy of this act, including int in Sour
The depth of water table From le water table. So far as it may be available, the ty other works for the withdrawal of approximately 300 feet 1 by portable system using unit using 220 gallons purity using 220 gallons purity as 200 da The log of formations encountered in over gravel which contains such that the similar reference to book and page of any contains as 200 da and page of any contains as 200 da similar reference to book and page of any contains as 200 da and	npletion of the construction of the well, wells, o 0, 1959—July 30, 1959. ss than 1 foot to over 12 feet be pe, size and depth of each well or the general groundwater Excavation made into the ong, 150 feet wide and 3 to 12 feet with and 3 to 12 feet with and by per minute. ter withdrawn each year 200 to 400 acrys. In the drilling of each well if available 1½ - 3 ms groundwater. nature as may be useful in carrying out the policular record. Have decreed water rights in Nash Spation of water rights in Na	East. r other works for with- eins the first l specifications of any e water table eet deep. Pumped ermanent pumping re-feet- per lifeet loan soil icy of this act, including pint in Sour oring Creek.
The depth of water table From le water table. So far as it may be available, the ty other works for the withdrawal of approximately 300 feet 1 by portable system using unit using 220 gallons purity using 220 gallons purity as 200 da The log of formations encountered in over gravel which contains such that the similar reference to book and page of any contains as 200 da and page of any contains as 200 da similar reference to book and page of any contains as 200 da and	npletion of the construction of the well, wells, o 0, 1959—July 30, 1959. ss than 1 foot to over 12 feet b pe, size and depth of each well or the general groundwater Excavation made into the ong, 150 feet wide and 3 to 12 feet with and 3 to 12 feet with and by per minute. ter withdrawn each year 200 to 400 across the drilling of each well if available 12 - 3 ns groundwater.	East. r other works for with- eing the first l specifications of any e water table eet deep. Pumped ermanent pumping re-feet- per feet loan soil icy of this act, including the in Sour oring Creek.

Three copies to be filed by the owner with the County Clerk a located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Jan 5-950 A Earl Morrow 200 Pd

r 2S	R	6E

County

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Valley View Golf Club, In By: Donald A. Nash, its a		Bozeman
(Name of Appropriator)		(Address (Town)
County of Gallatin	State of	Montana
have appropriated groundwater according	ng to the Montana laws	in effect proto January 1, 1962, as follows:
N	A - a well - 45' B - springs of d	eveloped water and pond
		which the claim is based
X	use	irrigation use and recreational
5.9	3. Date or approximate	e date of earliest beneficial use; and how continu-
h		Well drilled about 5 years ago s appurtenant & used & developed
E		nt to land issued.
		undwater claimed (in miner's inches or gallons
	per minute) Well springs run app	- 20 gallons per minute rox. 75" miner's measurement
	5 Tf yand for imination	on, give the acreage and description of the land
s	to which water has	s been applied and name of the owner thereat
10 2 0 45	Water used on	land in Ni of Sec. 19 Twp. 2S
14 Sec 19 T2S R 6E	KOE, M.P.M. O	wned by appropriator as indicated
icate point of appropriation	map at tert.	Well (X) Springs (S) Pond (p)
place of use, if possible. Each	6 Mha manu af mithd	rawing such water from the ground and the loca-
Il square represents 10 acres.		-
		other means of withdrawal or & pump; and spray and surface
		estion suc sersy and sucrace
		
The date of commencement and comdrawal of groundwater. Springs thereof and well and oo	pletion of the construction have been appur nd developed in	of the well, wells, or other works for with- tenent to land since patent about 1957.
	-	
The depth of water table 3 fee		
So far as it may be available, the ty works for the withdrawal of groundwar	pe, size and depth of eac er. 6 inch casing	th well or the general specifications of any other . 2 inch galvanized and transit
	·······	
***************************************	***************************************	
The estimated amount of groundwater	Fr withdrawn each yearSp	om well 2,000,000 gallons rings 75" miner's measurement
The log of formations encountered in t	he drilling of each well i	f available
	12 Jan	
Such other information of a similar n	ature as may be useful i	n carrying out the policy of this act, including
reference to book and page of any cour	ity record	
	Maile	y View Bolf Club, Incorporated

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Signature of Owner By Bonald A. Nash. its attorney
Date December 31, 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

7549

Anol Wallow

•

			And the second of the second o
			25-65-1
W 2		Approved Stock Form-State	Publishing Co., Helena, Montana—38496
ile No			T DE CO
			Commille aldatin
UPLIC	CATE		County and a comment
		STATE OF	MONTANA
			GROUND WATER CODE
ш	Top of Ground		
7	(Elev. above sea level Top Soil + C/24) Notice of Completi	on of Groundwater
910	Topsoil + Clay	• • • • • • • • • • • • • • • • • • •	y Means of Well
			ntana Session Laws, 1961)
_/ 길			_
- 16	, ,	Owner Pear / Vollmer	Address Borrman
-30	Gravely Sand	Driller M.E. Jones	
- 24		Driller 12 0 7 E 5	Address 1002 m 2 m
		Date of Notice of Appropriation of Gro	oundwater
- 32			
		Date well started.	Date Completed Feb. 15, 1962
-36	c /	Type of well Drilled	Equipment Used Churn Dril
- 40	Clay	(dug. driven, borod or drilled)	(Churn, drill, rotary or other)
-44			
- 18		Water Use: Domestic Munici	
-52		Industriai 🗌 Draina	rige [] Stock []
-56	Sandy Clay		aracter and thickness of the different
_40			il, clay, shale, gravel, rock or sand, etc. ered, thickness and character of water-
ر بسط	Sandstore	bearing strata and height to which wa	
60 65 65 65			
-68	1, rav+ 1 +5and	Size of Size and From Drilled Weight of (Feet)	To PERFORATIONS
-		Hole Carding	Kind From To
-	4	6700.113	16
-			
- 1			
-			
-			
-			
		Static Water Level for non-flowin	ng Weli 3 feet.
-	*	7	
-	*	Static Water Level for non-flowin Shut-in Pressure for Flowing W	
	*	Shut-in Pressure for Flowing W	ell
	**	Shut-in Pressure for Flowing W	feet at 30 gal. per minute.
		Shut-in Pressure for Flowing W Pumping Water Level. 65 Discharge in gal, per min. of flow	feet at 20 gal. per minute.
	W	Shut-in Pressure for Flowing W Pumping Water Level. 65 Discharge in gal, per min. of flow	feet at 20 gal. per minute.
		Shut-in Pressure for Flowing W Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 24. 221	feet at 30 gal. per minute. wing well Length of Test. 2 404 > 5
		Pumping Water Level. 65 Discharge in gal, per min. of flow How Tested 94, 771 P	feet at 30 gal. per minute. wing well Length of Test. 2 4 2 5 tenting, packers, type of shutoff, loca-
		Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 94. 771 9 Remarks: (Gravel packing, cemtion of place of use of	feet at 30 gal. per minute. wing well Length of Test. 2 4 4 > 5 tenting. packers, type of shutoff, loca- of groundwater if not at well, and any
		Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 6. 721 6 Remarks: (Gravel packing, cem tion of place of use o other similar pertine	feet at 30 gal. per minute. wing well Length of Test. 2 4 4 2 5 centing, packers, type of shutoff, locatof groundwater if not at well, and any out information, including number of
		Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 6. 721 6 Remarks: (Gravel packing, cem tion of place of use o other similar pertine	feet at 30 gal. per minute. wing well Length of Test. 2 4 4 > 5 tenting. packers, type of shutoff, loca- of groundwater if not at well, and any
		Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 64. 771 6 Remarks: (Gravel packing, cem tion of place of use of other similar pertine acres irrigated, if used	feet at 30 gal. per minute. wing well Length of Test. 2 4 4 2 5 centing, packers, type of shutoff, locatof groundwater if not at well, and any out information, including number of
	Sect 7 The Residence of well a	Shut-in Pressure for Flowing W Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 4.771 Remarks: (Gravel packing, sem tion of place of use o other similar pertine acres irrigated, if used	feet at 30 gal. per minute. wing well Length of Test. 2 4 4 2 5 tenting, packers, type of shutoff, locatof groundwater if not at well, and any out information, including number of
	Indicate location of well a place of use, if possible. Ea	Shut-in Pressure for Flowing W Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 4.72 Remarks: (Gravel packing, sem tion of place of use o other similar pertine acres irrigated, if used	feet at 30 gal. per minute. wing well Length of Test. 2 4 4 2 5 tenting, packers, type of shutoff, locatof groundwater if not at well, and any out information, including number of
	Sect 7 The Residence of well a	Shut-in Pressure for Flowing W Pumping Water Level. 65 Discharge in gal. per min. of flow How Tested 4.72 Remarks: (Gravel packing, sem tion of place of use o other similar pertine acres irrigated, if used	feet at 30 gal. per minute. wing well Length of Test. 2 4 4 2 5 tenting, packers, type of shutoff, locatof groundwater if not at well, and any out information, including number of

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Griginal to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

State of Montana | S. County of Gailatin | S. State of Montana | S. County of Gailatin | S. County of Gailatin | S. County CLERK & RECORDER | By DEPUTY | SEPUTY | SE

Form No. 18 8-60

		· ·	
r			_
County_	made Eng		

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

Water well Log
Owner fizald Cusing Address Enman for Driller McMil and address inhalten Mind Date Started 15-15 Location: Sec. 11 T. 2-5 R. 1-14 sec. 25-25-25
Type of well (Dug, driven, or drilled) Equipment used X (Churn, drill, rotary, other)
Water use: Domestic Municipal Stock Irrigation Contine N Industrial Orainage Other
Casing: 250 ft. to ft. Type Size 4~~
Casing:ft. toft. TypeSize
Casing:ft. toft. TypeSize
Perforated or screened: ftto ft ftto ft
Type of screen or perforations
Shut-in pressure; for flowing well:lb./sq. in. on:(date)
Pumping water levelfeet atgal. per min
How tested:
Length of test half pring a housely the 2 out will be seen
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
(over)

	•						,			#3	33	3	
						- -	Gailaí tate iled iled re 3.	7.	44	di d	S. O'Clock	k⊿ RECO	1961 _M. RDER

Uriller's Address

Houte 1., Bozenna, Cont no LICENSE NO. 150

(Elev. above sea level)

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

Top of Ground

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

		_				-		
(Under	Chapter	237	Montana	Session	Laws,	1961,	45	amendad)

This form to be prepared by driller, and three copies to be filed

this form to the own	to be prepared the	red by County	driller, as	nd three co d Recorder	opies to be in the coun	filed ty in	From (Feet)	To (Feet)		
which the	well is loca	ted, last	copy to	be retained	by driller.		2	*	Topsoils coarse visy oversures	
form may b	be returned.		•	cable, so sta	ate, otherwis	e the			blended like large angula	ŭ
Male	of Meor	tava						-	NOCK .	
Duran D	apartment	of Lor	ada & r					57	Chay 'deltty'	
Jwner	Investe	ents		For Adm	inistrator's U	se	77	59 85		
A -d-d			1	Etta .	3982		79		CLEY	
Address	a.,			riie	35. 97		- 75-	106	Chaybound Samulatons	
W-7	- Mamban	_	{	perme	3 200	21	100	115	Same tone airty diayoun	<u> </u>
TO LOI	a. Kentan	EL	·		2501				Saud and drawel	
			Î			1	110	120	aroass oras	
Date well :	started	m To 1	SZ	GW I	•••••••		727		Static sater Level	
			1			1	126	140	Dirty Clay, Sand & Grave	31
com	pletedI	me 22 ,	1971					 		
						·		 		
Type of we	:::d r::!!1	ed						 -		
			(2)	ug, driven, bore	ct or drilled)					
Equipment	used	Cable	Tool							-
• •			((Chura drill, rota	ary or other)			ļ		
Waler Use:	Domestic	□ Mι	inicipal [7 Stack F	rrigatio	on 🖂		 -		
				. o.ou (<u></u>	J.,		 		
ladi	ust: al 🗍	Drainage	e 🗌 O	ther [7]	Garden/Lav	wa []				
iiidi	331. 101	Di airiagi		e. 🗀	Oaldell/ Lav	* '' 🗀				
•Dana-iba							, 			
*Describe					************					
USE: If use	ed for irrig	ation, in	idustrial,	drainage o	or other. Ex	oplain,				
srate	number of a	cres and	docation	or other d	lata (i.e. Lot,	Block		† -		
	• 1.15at 3							 		
and A	Addition)	•••••••						 		
								 		
ESTIMATED	ANNUAL V	VITHDRA	WAL	•••••				+		
Size of	Stre and	Free	l fo			-		 		
Size of Drilled Hole	Size and Weight of Cusing	Fresh (Fest)	(Feet)		PERFORATION	15				
			1	Kind	From	Te		1		
			t	Cira .		: Famil				
611	19.84	42	\$ 35 27 21	Stre (a)	(Feet)	(Fret)				
6"	19.84	+2	36'11.	(9)	(Feet)					
6"	19.8#	+2	36,117		Per lora	ted				
6"	19.8#	+2	136'11;	(9)	(Feet)	ted				
6"	19.8#	+2	35'11.	(9)	Per lora	ted				
6"	19.8#	+2	36'IL	(9)	Per lora	ted Liner				
6"	19.8#	+2	136°112	(9)	Per lora	ted Liner				
6"	19.84	+2	136°111.	(9)	Per lora	ted Liner				
6"	19.8#	+2	36 m	(9)	Per lora	ted Liner				
6"		+2		11'5"	Per Jore	ted Liner 143'				
6"		+2	Sta	1115"	Per lore	idner				
6"		+2	Sta Pur	11.5" tic water le	Per lore	143"				
6"		+2	Sta Pur at	11 5" tit water le	Per ora	143* ft.* per minute,	·			
6"		+2	Sta Pur at me	tic water length water 30 assured	Per lore	143* ft.* per minute,	·			
6"		+2	Star Pur at me bes	tic water le nping water 30	Per oralization 1334 avel 125 ar level 125 ar level 13	143* 143* Oft.* per minute, er pumping	·			
6"		+2	Sta Pur at me bec	tic water le nping water 30 asured gan.	Per oralization lastic lastic lastic lastic lastic lastic merel lastic gallons minutes aff	143* 143* 10ft.* per minute, er pumping evel.				
6"		+2	Sta Pur at me bed *M	tic water lemping water 30 masured from the source of the	Per oralization lastic	143* 143* 10ft.* per minute, er pumping evel.				
6"		+2	Sta Pur at me beg *M We for	tic water le nping water 30 asured gan. leasured fro	Per oral lastic	143* 143* D. ft.* per minute, er pumping evel.				
6"		+2	Stal Pur at me bec *M We for Pox	tic water le mping water 30 masured from 11 develope wer 12 mare 12 ma	Per oral lastic	ft.* 143* 143* D. ft.* per minute, er pumping evel.				
6"		+2	Stal Pur at me bec *M We for Pox	tic water le mping water 30 masured from 11 develope wer 12 mare 12 ma	Per oral lastic	ft.* 143* 143* D. ft.* per minute, er pumping evel.				
6"	M M	+2	Sta Pur at me beg *M We for Pov Rer	tic water leading water leading developed wer leading water leading wate	Per oral lastic	ft.* (ft.* (per minute, er pumping evel. HP, cementing,	P			
	M M		Sta Pur at me beg *M We for Pov Rer pag	tic water leading water leading developed wer leading water leading wate	Per oral lastical las	ft.* (ft.* (per minute, er pumping evel. HP, cementing,	P			
	M M		Sta Pur at me beg *M We for Pov Rer pag	tic water leading water leading developed wer leading water leading wate	Per oral lastical las	ft.* (ft.* (per minute, er pumping evel. HP, cementing,	P			
	M M		Sta Pur at me beg *M We for Pov Rer pag	tic water leading water leading developed wer leading water leading wate	Per oral lastical las	ft.* (ft.* (per minute, er pumping evel. HP, cementing,	P			
	M M		Sta Pur at me beg *M We for Pov Rer pag	tic water leading water leading developed wer leading water leading wate	Per oral lastical las	ft.* (ft.* (per minute, er pumping evel. HP, cementing,	P			
- Su 1/2	M Se	6	Star Pur at me bed *M We for Pox Rer pac	tic water le ping water 30 masured gan. easured from 2 wer marks: (Grackers, type	Per oral lastic	ft.* 143* 143* O ft.* per minute, er pumping evel. HP, cementing,	P			
INDICATE	M Se N. R. LOCATION	OF WE	Star Pur at me beck *M We for Pox Rer pack	tic water le print de la print	Per oral lastic	ft.* 143* 143* O ft.* per minute, er pumping evel. HP, cementing,	P			
INDICATE	M Se	OF WE	Star Pur at me beck *M We for Pox Rer pack	tic water le print de la print	Per oral lastic	ft.* 143* 143* O ft.* per minute, er pumping evel. HP, cementing,	P			
INDICATE	M Se N. R. LOCATION	OF WE	Star Pur at me beck *M We for Pox Rer pack	tic water le print de la print	Per oral lastic	ft.* 143* 143* O ft.* per minute, er pumping evel. HP, cementing,	P			
INDICATE EACH SW	M Se Se Se R Se	OF WE	Star Pur at me beck *M We for Pox Rer pack	tic water le print de la print	Per oral lastic	ft.* 143* 143* O ft.* per minute, er pumping evel. HP, cementing,	P			
INDICATE	M Se & R COCATION ALL SQUARE	OF WEI	Sta Pur at me bed *M We for Pol Rer pac LL AND F	tic water le print de la print	Per ore Instic Instic	ft.* 143* 143* O ft.* per minute, er pumping evel. HP, cementing,	P			

_ Show exact depth of bottom

_ 143

#7982

State of Montana County of Garlatin ss.

Filed Jacob 30, 197/ at 7:30 o'clock M.

Carl L. Stucky

Count Clark & Recorder

By fracelle a Person

Fec \$_____

GW 2			Approved :	Stock Form—	State Publishin	g Co., Heleva.	Mostaru—19	8. 49. 3
File No	1878				T	25	R 6 E	21
DUPLIC	CATE				(Jounty	elle	
	Top of Ground		ADMINIST OF	RATOR (OF MONT OF GROUD STATE E	VDWATER	CODE	
- 10	(Elev. above sea level)	Notice of					
三分	(164)		Approp	iation	by M	eans of	Men	GINEER
75	time Crevel Boundincloy		(Under Cha	pter 237,	Montana S	Session Law	rs. 1961)	
00	Sandy Clay	Own	ner Paul K.D.	idley	Addres	Box5-	22-Bo	Lem e n
_10		— Drill	ler Donald (Jon	es)	Addres	s 7103-B	ridges I)rive
70	1 - a (mayo) Dayand mose	ndDate	e of Notice of Appror					
- 90	clau clau		well started Feb					
- 44			e of well Drilled			-	'hurn l	
⊢ µ•		(dt	ug, driven, bored or		(Chur other	ı, crill, rotar	yor	
120	Clay		ter Use: Domestic [Mo	nicipal [, Other		rigation [
-130	j		Industrial [_	ainage [Stock	=	
40	C. ad Eldne		Indicate on the di					
三行。	clau	Shov	ta met with in drilling depth at which wa	ter is enc	ountered, t	hickness an	d characte	
- 115	Sand Stone & Fine Greval	bear	ring strata and heigh	t to which	ı water ris	es in the w	ell.	
-		Size of Drilled	Size and Weight of	From (Feet)	To (Peet)	1	ERFORATIO!	NS
		Hole	/Craine		1	Klad	1 -	To
-		Hoer	المان والمحا			Stre	From (Feet)	(Feet)
		noer	His asteel		: :			
		Hon	68 00 15					
		Hoer	68 00 15		•			
		How	68 00 15		•			
	N	- How	68 00 15	for non-fl	owing Well	Sha		
	N	- Hoor	Static Water Level			Shar	(Feet)	(Feet)
	×		Static Water Level Shut-in Pressure for	r Flowing	well N	ot app	9 U	(Feet)
	N		Static Water Level Shut-in Pressure for	el 170	Well_N	of app	9 0 1. cu 514	feet.
		E	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p	or Flowing rel 170 er min. of	Well_N	of apperar 2 (90 1. cubla 2 gal	feet.
		E	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p	el 170 er min. of	Well_N	et at 2 (ell Not)	90 1. c. bla 2 gal. 1 ho	feet.
		E	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p. How Tested	er Flowing er min. of u	Well_N fe flowing w Leng cementing se of grou	et at 2 (ell Not the of Test packers. Indivater if	gal. i pol. c.ll ho type of sh not at we	feet.
		E	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p How Tested	er Flowing er min. of packing, place of u millar per	flowing w Leng cementing se of groutinent inf	et at 2 (ell Not the of Test packers. Industrien,	gal. appl. c.ll type of sh not at we including	feet.
		E	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p How Tested	er Flowing er min. of packing, place of u milar per	flowing w Leng cementingse of groutinent inf	et at 2 (ell Not the of Test packers, indwater if formation, rigation)	gal. Appl. c.ll Appl. c.ll type of sh not at we including	feet. per minute. utoff, loca- il, and any number of
	Nr - N/4 See 21 T25 R4 Indicate location of well a	E	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p How Tested	er Flowing er min. of packing, place of u milar per	flowing w Leng cementingse of groutinent inf	et at 2 (ell Not the of Test packers, indwater if formation, rigation)	gal. appl. c.ll type of sh not at we including	feet. per minute. utoff, loca- il, and any number of
	Nr N/4 See 21 T2S R4	E and ach	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p How Tested	er Flowing er min. of packing, place of u milar per	flowing w Leng cementingse of groutinent inf	et at 2 (ell Not the of Test packers, indwater if formation, rigation)	gal. Appl. c.ll Appl. c.ll type of sh not at we including	feet. per minute. utoff, loca- il, and any number of
	Indicate location of well a place of use, if possible. Easmall square represents 10 acr	E and ach	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p How Tested	er Flowing er min. of packing, place of u milar per	flowing w Leng cementingse of groutinent inf	et at 2 (ell Not the of Test packers, indwater if formation, rigation)	gal. Appl. c.ll Appl. c.ll type of sh not at we including	feet. per minute. utoff, loca- il, and any number of
	Indicate location of well a place of use, if possible. Ea	E and ach	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p How Tested	er Flowing er min. of packing, place of u milar per	flowing w Leng cementing se of groutinent inf	et at 2 (ell Not th of Test packers, ndwater if ormation, rigation	gal. call ho sype of sh not at we including	feet. per minute. utoff, loca- il, and any number of
	Indicate location of well a place of use, if possible. Easmall square represents 10 acr	E and ach	Static Water Level Shut-in Pressure for Pumping Water Level Discharge in gal. p How Tested	er Flowing er min. of packing, place of u milar per	flowing w Leng cementing se of groutinent inf	et at 2 (ell Not the of Test packers, indwater if formation, rigation)	gal. call ho sype of sh not at we including	feet. per minute. utoff, loca- il, and any number of

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Becorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

#1878

State of Montana | SS.
County of Gallatin | 1964
Filed | 1964

COUNTY CLERK & RECORDER


By | 2.60 Fd. | DEPUTY

Fee \$ | DEPUTY |

G₩	Approved Stock	Form—State	Publishing C	o., Helena,	Montana-386	87 🍕	ε,
File No			Т	2 S	6 E		

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

DUPLICATE



Gallatin

County.

	OFFICE OF STA	TE ENGINEER	M DEC SA
		Groundwater Ri	ghts - Thomas
J. W. LILLARD		of Box 713	Bozeman
(Name of Appropriator	r)	(Address)	(Town)
County of Gallatin have appropriated groundwater acc	cording to the Mo	State of Montana ontana laws in effect prior t	o January 1, 1962, as follows:
N N	2. The benefit Don	icial use on which the claim nestic and stock water	is based
			beneficial use; and how con- ntinuous the reafter
X X	*******	**************************************	Anassantherhortes the Whysip of a hipogenter anapote a corp. That
	TERMINAL STATE OF THE STATE OF		10000000 1 FF1000011 1 1 2 1 4 4 4 4 4 4 4 4 4 4 4 5 6 6 6 6 6 6 6 6
			(in miner's inches or gallons
	•	· · · · · · · · · · · · · · · · · · ·	
8	to which	water has been applied and	e and description of the lands I name of the owner thereoi
		lone	
. The date of commencement and codrawal of groundwater1880	mpletion of the co	onstruction of the well, wel	
The depth of water table	type, size and de idwater A. Leet. s	pth of each well or the gener	al specifications of any othe
***************************************	************		
***************************************	/ n · · •••••••••••••••••••••••••••••••		
The estimated amount of groundw	ater withdrawn e	ach year500, 000 gallo	ons
The log of formations encountered dirt down to hardpan	**************************************		
Such other information of a similar			
reference to book and page of any	county record		
reference to over the page of any			
- " -			
- " -			

Three clocated.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

567

- 3

De 21 1962

File No.

DUPLICATE

T2 de TuR de T County delation

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

	2 P + # 13 2 2 R 2
(Name of Appropriate	
County of Vallating	State of Minitaria
have appropriated groundwater acco	rding to the Montana laws in effect prior to January 1, 1962, as follows:
N	2. The beneficial use on which the claim is vased water sulls
6	2. The beneficial use on which the claim is pased to the state of the line wholl, yearly garden, ite
2	y 3
المناث	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1880 and Continually Olice
and and Roma	J.
Wash &	
Vac	4. The amount of groundwater claimed (in miner's inches or gallons
G g	per minute) 25 gal for shired for lack well
3-1	5. If word for immersion give the savange and description of the lands
E. 4 NS E 4 Au. 15	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6.445 & Sec. 21. T.2. S. R. 6. E	ised to inigate sins and cardines on both
dicate point of appropriation	Johnes Theilsmach Bunett
d place of use, if possible. Each nall square represents 10 acres.	6. The means of withdrawing such water from the ground and the loca-
am aqual o representad 10 deres.	tion of each well or other means of withdrawal fuelfat
	each house bumped by Electric functor
The depth of water table 40	t.
	type, size and depth of each well or the general specifications of any other water than the specifications of any other
1000 C	Ţ
The Committee of the Co	9.3
The estimated amount of groundwa	ater withdrawn each year 200,000 Calles
The log of formations encountered	in the drilling of each well if available Lonal Know
	ecounty record the record to the policy of this act, including
	1

	Signature of Owner Character Smill
	Date 12-29-63
	The state of the s

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 33444 1305

15 30 1963

1 3 PM.

Carl M.

Sherra Tidaes

١.

mornweit	Stort	Form_Stat	e Prolishine	Ca	Helena	Montaga-	-4223

File No.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights (Under Chapter 937 Montes Ch

ルイア エルー ごうえばんし	the think you
(Name of Appropriator)	(Address) (Towa) State of January 1, 1962, as follows:
ounty of little	State of
ve appropriated groundwater according	g to the Montana laws in effect prior to January 1, 1962, as follows:
N	2. The beneficial use on which the claim is based.:
	Assess E. E. F.
	3. Date or approximate date of earliest beneficial use; and how contin
_	ous the use has been
E	
	4. The amount of groundwater claimed (in miner's inches or gallo per minute)
•	5. If used for irrigation, give the acreage and description of the lan to which water has been applied and name of the owner there
Y Sec A TO R	
cate point of appropriation	
place of use, if possible. Each square represents 10 acres.	6. The means of withdrawing such water from the ground and the lo tion of each well or other means of withdrawal
	· · · · · · · · · · · · · · · · · · ·
The date of commencement and comp	
	oletion of the construction of the well, wells, or other works for wi
drawal of groundwater	oletion of the construction of the well, wells, or other works for wi
The depth of water table	pe, size and depth of each well or the general specifications of any of
The depth of water table	pe, size and depth of each well or the general specifications of any of
The depth of water table	pe, size and depth of each well or the general specifications of any other
The depth of water table	pe, size and depth of each well or the general specifications of any other
The depth of water table	pe, size and depth of each well or the general specifications of any other
The depth of water table	pe, size and depth of each well or the general specifications of any other
The depth of water table	pe, size and depth of each well or the general specifications of any other
The depth of water table	pe, size and depth of each well or the general specifications of any other withdrawn each year the drilling of each well if available
The depth of water table	pe, size and depth of each well or the general specifications of any other withdrawn each year the drilling of each well if available
The depth of water table. So far as it may be available, the tyworks for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the stimulation of a similar necessary.	pe, size and depth of each well or the general specifications of any other withdrawn each year the drilling of each well if available ature as may be useful in carrying out the policy of this act include
The depth of water table. So far as it may be available, the tyworks for the withdrawal of groundwater. The estimated amount of groundwater. The log of formations encountered in the log of the stimulation of a similar necessary.	pe, size and depth of each well or the general specifications of any other withdrawn each year the drilling of each well if available ature as may be useful in carrying out the policy of this act including to re-ord
The depth of water table	pe, size and depth of each well or the general specifications of any other withdrawn each year the drilling of each well if available ature as may be useful in carrying out the policy of this act include

Please answer all questions. It not applieable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 13333

MY8 ...

1. 2	5	_R	68
County	<u>Ž</u> a	Ela	tin

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

Water well Log
Owner Chistis fensen, fr. Address Bozencia w Driller Machine Address Jate Started "Date Completed Machine Location: Sec. 12 T. 2 R. 6 E 4 sec. 871 4 - 16 can
Type of well Srelled Equipment used drell (Churn, drill, rotary, other)
Water use: Domestic Municipal Stock Irrigation Industrial Drainage Other
Casing: 10 ft. toft. TypeSize
Casing:ft. toft. TypeSize
Casing:ft. toft. TypeSize
Perforated or screened: Ftto ft Ftto ft Type of screen or perforations
Static water level, for non-flowing well:feet.
Shut-in pressure, for flowing well:lb./sq. in. on:(date)
Pumping water level feet atgal. per min
How tested
Length of test
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
(over)

#336 Galilatin County,
State of Montana.

Filed

7.42

0'clock

M

Curl Junion

COUNTY CLERN & RECORDER

BY ASSESSMENT CLERN & RECORDER 200 ee \$_

.....(Continue on reverse side)

•							- 22
sw 2		Approved	Stock Form	-State Publishi	nıt Co., Helen	a. Montana	5805
File No	1 23 3			T	25	266	
DUPLICATE				Cour	ityG	allatin	<u> </u>
LOG Top of Ground	en púls	ADMINISTE STATE V	LATOR (OF MONT OF GROUN CONSERVA	DWATE		
(Elev. above sea level	No	itice of C	omple	etion o	f Gro	undwa	ter
0 - 19' Clays dry.	,	Appropri		by Me			
19 - 23' Graveis dry.	(Und	ler Chapter 237	Montar		-		nded)
23 - 27° Clays dry.	Owner	ester Jen			ss Bos	esen, i	
27 30' Sand and gravels.	Driller VAN	DYKEN DR	LLLING	CO _{gddre}	ss. B02	EMAN. I	ont.
30 42' Clays. dry.		tice of appropri		_	C L	none	
42 60 Sandy clays. Wet.		tarted Aug			•		
60 62 Claybound gravels.	(Dug, driven, bor	ed or drill	ed)	(Ch	•	ary or other)
	Water use:	Domest Industri	_	funicipal [Drainage [ther 🗍	rrigation [
62 - 64' Soft sandstone. Little water.	met with it depth at wi	e on the diagra n drilling, such nich water is en	as soil, d	lay, shale, d, thicknes	gravel, ros s and char	ock or sand	l, etc. Show
64 - 75' Sandy clays.		height to which	the wat	er rises in t	he well.		
75 - 78.6" Sand and gravels	Size of Drilled Hole	Weight of Casing	(Fret)	(Feet)	Kind Stre	From (Feet)	To (Feet)
	6"	6 5/8" 0.D. 17# per	01	78		RORO	
T.D. 76'6"		st.					
		1					
-		N		static Wat	er Level		lowing well
- 1				had in Day	f T	43!	
				onut-in Free Cumping V		lowing We	fcet
	w		E			gal. per m	inute.
- I			I	discharge i	n gal. per		llowing well
<u>i</u> —				Iow Tested		ler	
-	<u> </u>	<u>i</u>		ength of T			
	. <i>L</i> .	_				Printellan	enting, pack- l clays
		e.22 T.25 Recation of well		rs, type of shutof	Stratott)	de of c	
	place of us small squ	se, if possible.	Each 1	rnm O.	to 77	*****	

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Show exact depth of bottom.

tion).

Please answer all questions. It not applicable, so state, otherwise the form will be returned.

LICENSE NO. 1

Driller's License Number

-If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addi-

Driller's Signature.

BERT Van DIKEN

State of Montana
County of Gallatin
Filed Scheung 19, 1969
at Carl Stucky
County Cierk & Recorder

By Man Hacegary
Deputy
Fing 5 700 Pd

County Gallatia 22

DRILLER'S LOG

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

NOTIC A

MONTANA WATER RESOURCES BOARD	Indicate the character, color, thick	(-
CE OF COMPLETION OF GROUNDWATER PPROPRIATION BY MEANS OF WELL Developed after January 1, 1962	ness of strate such as soil, clay, sand gravel, shale, sandstone, etc. Show depth at which water is found an height to which water rises in wel	ď
hapter 237 Montana Session Laws, 1961, as amended)	Top of Ground	

Cluber Chapter 227 Montana Session Laves, 1961, as amended		Dev	eloped aff	er January	1, 1962				_		
is form to be prepared by driller, and three sopies to be filled by the owner with the County Cork and Recorder in the county in hich the well is located, last copy to be retained by driller. 1 19 City, gravel 1 19 City, gravel 2 2 2 11 2 2 1 2 2 11 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2	(Under (Chapter 237	Montana	Session L	aws, 1961	, as amen	ded)	Top of	Ground	(Elev. above sea level)	
high the well is located, last copy to be retained by driller. acease answer all questions. If nor applicable, so state, otherwise the mr may be returned. Characteristics Arthur Rock For Administrator's Use File 3040 Jonn 1992 Bossean, Kontane 20.5 M. Bossean, Kontane 20.5 M. Completed 1989 5, 1972 po of well drilled Characteristics Characteristics	by the ow	ner with th	e County	Clerk and	Recorder	in the cou	intv in	From (Feet)	To (Feet)		
Characteristics Characteristics Characteristics Characteristics Characteristics Consequence Consequence	which the	well is loca	ated, last	copy to b	e retained	by driller.		1	19	Clay, gravel	
Characteristics For Administrator's Use File 3040 Jan 1992 Scatter 2. File 3040 Jan 1992 Scatter 2. File 3040 Jan 1992 Scatter 305. Static ster lettel Scatter 4. Sc				not applica	ible, so sta	ite, otherwi	ise the	19	23	Clay, prayel send	
where Arthur Tock For Administrator's Use File 304P. Jan	orm may	be returned	<u>. </u>				~ .	P3	_34		
Static water level 2 11. 2 3 37 21 3 37 37 37 37 37 37 37	_	Charactt	.e					3/1	37	Seed and Gravel	
### Sozewan, Kontense ### Completed Jone 5, 1972 #	wnerA	rthur ko	Ch.		For Admi	nistrator's I	lse		+		
Sozeman, Fontane Sozeman, Fontane Second Started Dec. 25, 71 GW	ddress	3oute #2.	•	Fi				2	n.	Static ester level	
Completed Jan. 5, 1972 pe of well	50z	eman, Kor	ntena								
Describe Course dell. rotary or when Course dell. rotary or when	ite well:	started	Dec. 2	5. 71 G	W 1						
Dippendix Dispendix Disp	com	pleted Jan.	. 5, 19	72		•••					
Describe SE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). STIMATED ANNUAL WITHDRAWA: See of Stee wast (Feet) (pe of we		drilled			******					
Course date Course date Course date Course date Course date Course date Course Course date Course Co				(Dug	, driven, bored	or drilled)		-			
Industrial Drainage Other Garden/Lawn Describe SE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). STIMATED ANNUAL WITHDRAWA: Street Street Garden	quipment	used	cacte	(C.	nurn drill, rotar	y or other)					
Describe Site If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e., Lot, Block and Addition). TIMATED ANNUAL WITHDRAWA: Static was a state of Cating Free of Catin	ater Use:	: Domestic	₽ Mu	inicipal [Stock [] Irrigat	ion 🗌				
SE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). STIMATED ANNUAL WITHDRAWA: Description Street Street Street Street Greet Gree	Indi	ustria! 🔲	Drainage	Oth	er □*	Garden/La	wn 🗌				
state number of acres and location or other data (i.e. Lot, Block and Addition). STIMATED ANNUAL WITHDRAWA: Static Water level (Feet)	escribe)					************			+	ا فلت حرب شک شان کی باید باید باید ملت بین بیت بین بیس بیس	
state number of acres and location or other data (i.e. Lot, Block and Addition). STIMATED ANNUAL WITHDRAWA: Street Street Street Street Proved (Feet) (Fee	SE: If use	ed for irric	gation, in	dustrial. d	rainage or	other E	xolain				τ-
Ster and Delta of Castes o	state	number of	acres and	location c	or other da	ita (i.e. Lot,	Block		· 		4
Ster we weight weight of Cashe of Cashe of Cashe weight of Cashe o	and A	Addition)							+		1
Site of Dettine weight of Calleg Weight (Feet) (Fee	allo /			•			*****		†		1
PERPORATIONS Static Stati	TIMATED	ANNUAL	WITHDRA	WAL		••••]
PERPORATIONS Static water level 2	Size of	Size and	From	To							4
Static water level 2 ft.* Pumping water level 17 ft.* at 20 gallons per minute, measured minutes after pumping began. "Measured from ground levei. Well developed by 2009 for 2 hours. Power Pump HP Remarks: (Gravel packing, cementing, packers, type of shutoff) SE 14 14 Sec 27 T. 2 N R G E IDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.	Drilled	Weight		(Feet)		PERFORATIO:	NS				-
N Static water level 2							To (Feet)				┥
Static water level 2 ft.* Pumping water level 17 ft.* at 20 gallons per minute. measured minutes after pumping began. *Measured from ground levei. Well developed by 2000. for 2 hours. Power. Pump. HP! Remarks: (Gravel packing, cementing, packers, type of shutoff). SE 14 Sec 32 T 2 N 2 E E IDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. NCH SMALL SQUARE REPRESENTS 40 ACRES. Filler's Signature Multiple 10 ft.* Acres 12 ft.* Promping water level 2 ft.* Pumping water level 17 ft.* Pumping water level 17 ft.* Pumping water level 17 ft.* Pumping water level 2 ft.* Pumping water level 17 ft.* Pumping water level 2 ft.* Pumping water level 17 ft.* Pumping water level 17 ft.* Pumping water level 17 ft.* Pumping water level 2 ft.* Pumping water level 17 ft.* Pumping water level 18 ft.* Pumpi	TAT		. 2011	2-71 20					+		-
Static water level 2 ft.* Pumping water level 17 ft.* at 20gallons per minute, measuredminutes after pumping began. *Measured from ground levei. Well developed by	6n	17#	70	37. 2							ヿ
Static water level 2 ft.* Pumping water level 17 ft.* at 20gallons per minute, measuredminutes after pumping began. *Measured from ground levei. Well developed by											-1
Static water level 2 ft.* Pumping water level 17 ft.* at 20gallons per minute. measuredminutes after pumping began. *Measured from ground levei. Well developed by			}			1					7
Static water level 2 ft.* Pumping water level 17 ft.* at 20gallons per minute. measuredminutes after pumping began. *Measured from ground levei. Well developed by		 	1]
Static water level 2 ft.* Pumping water level 17 ft.* at 20gallons per minute. measuredminutes after pumping began. *Measured from ground levei. Well developed by			•]
Static water level 2 ft.* Pumping water level 17 ft.* at 20gallons per minute. measuredminutes after pumping began. *Measured from ground levei. Well developed by		 	i]					_
Pumping water level		N		_				, ,		ے ندر کے کہ کہ کے ایک	4
at 20gallons per minute, measuredminutes after pumping began. *Measured from ground levei. Well developed by	1										4
measuredminutes after pumping began. *Measured from ground levei. Well developed by		ł	1						∔		-1
began. *Measured from ground levei. Well developed by											4
*Measured from ground levei. Well developed by	1 :	1	×			immutes at	ier bambinā	#	+		-
Well developed by	 	 -		•		m ground l	levei		+		1
for2hours. Power			1			_			+		1
Power]		<u> </u>							· · · · · · · · · · · · · · · · · · ·	7
Remarks: (Gravel packing, cementing, packers, type of shutoff) SE 14 Sec 32 T 2 R R E SOUDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.							нг	t	+	ر بنه و	7
packers, type of shutoff) SE 1/4 Sec 32 T. 2 MR E IDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.]
T. 2 NR G. E SIDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.	<u> </u>]
T. 2 NR R. E. E. S.		_		*****		**					
NDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.						******					4
riller's Signature Deutstand	T	<u>N</u> R	<u>&</u>					·			4
riller's Signature buffet a lott		\ S	7	>							4
riller's Signature Deutstand	IDICATE	LOCATION	OF WELL	L AND PL	ACE OF L	JSE, IF PO	SSIBLE.				
											4
		1	l	1.1.	DA			+			4
	riller's Siç	gnature	paul	M CL	IM	<i>j</i>		i 			-
riller's Address 1966 Milling and Deservating			•]]ima	- احدودا ان	mine					-
	iller's Ac	idress	TEU COURT	TTTIK SE	m neagy(Arne					<u> </u>
te 1. Boz man, Montana LICENSE NO. 150 7 ft. Show exact depth of bottom	LE				111 = (1)	- 1511)	150				

State of Montana
Country of Gallatin
Filed

7, 1972

at

2,15 o'clock A.M.

Country Clerk 2 Recognit

By

Country Clerk 2 Recognit

By

Country Clerk 2 Recognit

Country Cler

•

τ	28	_R	6	\mathcal{E}	
County_	Gallatin	 .	, - t	ega e eg	 -

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG	
Owner Koch, Arthur L. &for Che	rlatte dress Rurel Route 14 Bozepan, Montane
Driller Burrell & Tomlizson	Address Logan, Montena
Date Started 10-9-1955 Location: Sec. 22 T. 25	Date Completed 10-10-1955
Type of well dilled Equipment (big, driven, bored, or drilled)	t used drill (Churn, drill, rotary, other;
Water use: Domestic Municipal Se	
Casing: 34 ft. to 184 ft. Type	steel Size 6"
Casing:ft. toft. Type	Size
Casing:ft. toft. Type	
Perforated or Screened: Ftto ft	to ft
Type of screen or perforations	
Static Water level, for non-flowing well:	feet.
Shut-in pressure, for flowing well:	_lb./sq. in. on:
Pumping water levelfeet atfeet atfeet at	•
Length of test	
Remarks: (Gravel packing, cementing, packers, shut-off)	type of shut-off, depth of
(over)	

Log of Well

Depth,	, feet		İ
From	То	Description of Material Drilled	
0	9	old well	
	9		
9	12	started drilling black dirt	
		first water	_
12	21	first water clay and sand	
21	23	hand pan	
23	25	hand pan water, sand	
			7
			1
			1
			7
			→
			7
			1
			-
			4
		T III : 22 16	
	 	Free \$	+
			1
		S S S S S S S S S S S S S S S S S S S	+
		13 M 2 7 3 2 2	1
			1
	ļ	1911/2012	4
			<u> </u>
	<u> </u>		

T. 2-1	R	68	
County Gallet	in		

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana
WATER WELL LOG

WATER WELL EGG
Owner Koch, Arthur L. 6/or Charlotted Sess Rural Route 14, Bo
Driller Burrell & Tomlinson Address Logan, Montana
Date Started 10-11-1955 Date Completed 10-12-1955
Location: Sec. 22 T. 25 R. 6 & 4 sec. 5 &
Type of well
Water use: Domestic Municipal Stock Irrigation
Industrial Drainage Other
Casing: 0 ft. to 25 ft. Type steel Size 6"
Casing:ft. toft. TypeSize
Casing:ft. toft. TypeSize
Perforated or Screened: Ftto ft Ftto ft
Type of screen or perforations
Static Water level, for non-flowing well:feet
Shut-in pressure, for flowing well:1b./sq. in. on:(cate)
Pumping water levelfeet atgal. per min
low tested:
Length of test
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
(over)